ELECTRICITY SAFETY ACT 1998 SECOND-HAND DANGER – DO NOT USE OR CONNECT TO SUPPLY THIS ELECTRICAL EQUIPMENT MAY BE FAULTY AND SHOULD BE INSPECTED AND TESTED BY A COMPETENT PERSON IN ACCORDANCE WITH AS/NZS 3760 PRIOR TO USE

ELECTRICITY SAFETY ACT 1998 SECOND-HAND DANGER – DO NOT USE OR CONNECT TO SUPPLY THIS ELECTRICAL EQUIPMENT MAY BE FAULTY AND SHOULD BE INSPECTED AND TESTED BY A COMPETENT PERSON IN ACCORDANCE WITH AS/NZS 3760 PRIOR TO USE

ELECTRICITY SAFETY ACT 1998 SECOND-HAND DANGER – DO NOT USE OR CONNECT TO SUPPLY THIS ELECTRICAL EQUIPMENT MAY BE FAULTY AND SHOULD BE INSPECTED AND TESTED BY A COMPETENT PERSON IN ACCORDANCE WITH AS/NZS 3760 PRIOR TO USE

ELECTRICITY SAFETY ACT 1998 SECOND-HAND DANGER – DO NOT USE OR CONNECT TO SUPPLY THIS ELECTRICAL EQUIPMENT MAY BE FAULTY AND SHOULD BE INSPECTED AND TESTED BY A COMPETENT PERSON IN ACCORDANCE WITH AS/NZS 3760 PRIOR TO USE

ELECTRICITY SAFETY ACT 1998 SECOND-HAND DANGER – DO NOT USE OR CONNECT TO SUPPLY THIS ELECTRICAL EQUIPMENT MAY BE FAULTY AND SHOULD BE INSPECTED AND TESTED BY A COMPETENT PERSON IN ACCORDANCE WITH AS/NZS 3760 PRIOR TO USE

ELECTRICITY SAFETY ACT 1998 SECOND-HAND DANGER – DO NOT USE OR CONNECT TO SUPPLY THIS ELECTRICAL EQUIPMENT MAY BE FAULTY AND SHOULD BE INSPECTED AND TESTED BY A COMPETENT PERSON IN ACCORDANCE WITH AS/NZS 3760 PRIOR TO USE

ELECTRICITY SAFETY ACT 1998 SECOND-HAND DANGER – DO NOT USE OR CONNECT TO SUPPLY THIS ELECTRICAL EQUIPMENT MAY BE FAULTY AND SHOULD BE INSPECTED AND TESTED BY A COMPETENT PERSON IN ACCORDANCE WITH AS/NZS 3760 PRIOR TO USE

ELECTRICITY SAFETY ACT 1998 SECOND-HAND DANGER – DO NOT USE OR CONNECT TO SUPPLY THIS ELECTRICAL EQUIPMENT MAY BE FAULTY AND SHOULD BE INSPECTED AND TESTED BY A COMPETENT PERSON IN ACCORDANCE WITH AS/NZS 3760 PRIOR TO USE

ELECTRICITY SAFETY ACT 1998 SECOND-HAND DANGER – DO NOT USE OR CONNECT TO SUPPLY THIS ELECTRICAL EQUIPMENT MAY BE FAULTY AND SHOULD BE INSPECTED AND TESTED BY A COMPETENT PERSON IN ACCORDANCE WITH AS/NZS 3760 PRIOR TO USE

ELECTRICITY SAFETY ACT 1998 SECOND-HAND DANGER – DO NOT USE OR CONNECT TO SUPPLY THIS ELECTRICAL EQUIPMENT MAY BE FAULTY AND SHOULD BE INSPECTED AND TESTED BY A COMPETENT PERSON IN ACCORDANCE WITH AS/NZS 3760 PRIOR TO USE

ELECTRICITY SAFETY ACT 1998 SECOND-HAND DANGER – DO NOT USE OR CONNECT TO SUPPLY THIS ELECTRICAL EQUIPMENT MAY BE FAULTY AND SHOULD BE INSPECTED AND TESTED BY A COMPETENT PERSON IN ACCORDANCE WITH AS/NZS 3760 PRIOR TO USE

ELECTRICITY SAFETY ACT 1998 SECOND-HAND DANGER – DO NOT USE OR CONNECT TO SUPPLY THIS ELECTRICAL EQUIPMENT MAY BE FAULTY AND SHOULD BE INSPECTED AND TESTED BY A COMPETENT PERSON IN ACCORDANCE WITH AS/NZS 3760 PRIOR TO USE

ELECTRICITY SAFETY ACT 1998 SECOND-HAND DANGER – DO NOT USE OR CONNECT TO SUPPLY THIS ELECTRICAL EQUIPMENT MAY BE FAULTY AND SHOULD BE INSPECTED AND TESTED BY A COMPETENT PERSON IN ACCORDANCE WITH AS/NZS 3760 PRIOR TO USE

ELECTRICITY SAFETY ACT 1998 SECOND-HAND DANGER – DO NOT USE OR CONNECT TO SUPPLY THIS ELECTRICAL EQUIPMENT MAY BE FAULTY AND SHOULD BE INSPECTED AND TESTED BY A COMPETENT PERSON IN ACCORDANCE WITH AS/NZS 3760 PRIOR TO USE

ELECTRICITY SAFETY ACT 1998 SECOND-HAND DANGER – DO NOT USE OR CONNECT TO SUPPLY THIS ELECTRICAL EQUIPMENT MAY BE FAULTY AND SHOULD BE INSPECTED AND TESTED BY A COMPETENT PERSON IN ACCORDANCE WITH AS/NZS 3760 PRIOR TO USE

ELECTRICITY SAFETY ACT 1998 SECOND-HAND DANGER – DO NOT USE OR CONNECT TO SUPPLY THIS ELECTRICAL EQUIPMENT MAY BE FAULTY AND SHOULD BE INSPECTED AND TESTED BY A COMPETENT PERSON IN ACCORDANCE WITH AS/NZS 3760 PRIOR TO USE

ELECTRICITY SAFETY ACT 1998 SECOND-HAND DANGER – DO NOT USE OR CONNECT TO SUPPLY THIS ELECTRICAL EQUIPMENT MAY BE FAULTY AND SHOULD BE INSPECTED AND TESTED BY A COMPETENT PERSON IN ACCORDANCE WITH AS/NZS 3760 PRIOR TO USE

ELECTRICITY SAFETY ACT 1998 SECOND-HAND DANGER – DO NOT USE OR CONNECT TO SUPPLY THIS ELECTRICAL EQUIPMENT MAY BE FAULTY AND SHOULD BE INSPECTED AND TESTED BY A COMPETENT PERSON IN ACCORDANCE WITH AS/NZS 3760 PRIOR TO USE